INDEX TO VOLUME 27

The asterisk (*) preceding the page number indicates an original article. Subject entries are made for all articles. Author entries are made for original articles, correspondence and society transactions. Biographies, Book Reviews, Obituaries, and Society Transactions are indexed under these headings in their alphabetical order under the letters B, O and S, respectively.

Abdomen, postoperative gangrenous ulcer of abdominal wall, report of case with notes on treatment, *624
Abel, H.: Onychodystrophia; congenital syphilis, 525
Abramowitz, E. W.: Dermatosis papulosa nigra, 860
  Erythroderma with positive reactions of skin to arsenic, 862
Acanthosis nigricans, 528, 710
  papulosa nigra; dermatosis papulosa nigra (Castellani) of unusual distribution (acanthosis papulosa nigra), *751
Achlorhydria: See Stomach, acidity
Achromia: See under Pigmentation
Acne conglobata; experimental study, *302
  keloid, 157
  roentgen rays in treatment of acne; evidence that they do not produce scarring, *89
  varioliformis, 356, 885
  vulgaris in infant, 697
Acrodermatitis chronica atrophicans, 169, 1018
  chronica atrophicans, ichthyosis or hypothyroidism, 349
Acrodynia or epidermolysis bullosa?, 1011
Actinomycosis, primary, of tongue, 329
Adenoma, case for diagnosis (multiple fibromas? osseous cysts? adenoma sebaceum?), 1006
  sebaceum (Pringle); Recklinghausen's disease; occurrence in mother and two daughters, 879
Aglossia: See Tongue
Ainhum; report of case with roentgenologic findings and review of literature, *783
Alden, H. S.: Pseudoxanthoma elasticum; report of 5 cases illustrating its association with angioid streaks of retina, *424
Alderson, H. E.: Relapsing febrile nonsuppurative panniculitis (Weber), *440
Allergy: See Anaphylaxis and Allergy
Alopecia areata, 362
  areata, pathogenesis of, 339
  associated with hypothyroidism in child, 330
  cicatrisata or pseudopelade, 526
  circumscripta, case for diagnosis (neurodermatitis atrophicans associated with alopecia circumscripta? Hodgkin's disease? mycosis fungoides?), 537
  of beard following phrenicectomy, 834
  tinea capitis in an adult with scar-producing alopecia, 543
  totalis, 711
  totalis treated with anterior lobe pituitary preparation, 1007
American Board of Dermatology and Syphilology, 123, 326, 505
  Medical Association, exhibit on dermatology and syphilology at Milwaukee, 124
Amshel, F.: Acne vulgaris in an infant, 697
  Scrofuloderma, 697
  Tuberculosis verrucosa cutis, 885
Amyloidosis, localized amyloidosis with macroglossia, 338
Anaphylaxis and Allergy; intradermal and cutaneous methods of testing in food allergy; comparative study, *206
  latent period in passive anaphylaxis, 678
  new research on allergy to egg albumin in infants, 837
  physical allergy, 171
  sensitization and desensitization in man with snake venom (ancistrodon piscivorus), *312
Anaphylaxis and Allergy—Continued
  urinary proteose; allergic dermatoses and eczema-asthma-hay fever complex, *745
Anderson, N. P.: Basal cell epitheliomas with excessive pigment formation; their relation to melanomas, *277
  Case for diagnosis, 543
  Congenital ichthyosiform erythroderma, 543
  Naevus flammeus, 538
Andrews, G. C.: Dermatitis papulosa nigra, 880
  Granuloma annulare, 869
  Leukoderma centrifugum acquisitum, 881
  Pyodermia, 869
  Sarcoid, 877
  Tertiary syphiloderm, 138
Anemia, achlorhydric anemia as a cause of pruritus vulvae of so-called neurotic origin, 681
  syndrome of anemia, glossitis and dysphagia; report of 8 cases with reference to observations at autopsy in 1 instance, 676
Ankylostoma braziliense, creeping eruption due to, *490
Appel, B.: Lupus erythematosus of face and scalp with disseminated lupus or toxic dermatitis (gold), 1023
  Sodium dehydrocholate in arsphenamine poisoning, preliminary report, *401
  Toxic dermatitis, 1022
Archives of Dermatology, fiftieth anniversary of, 125
Argyria, demonstration of elements in tissues, argyrosis, especially concerning demonstration of silver in skin by means of spectroscope, 334
  generalized, 7 cases, 333
  lupus erythematosus of conjunctiva; argyria, 718
  report of case in patient aged 5½ years, 988
Arsenic and sodium thiosulphate resistance; studies in chemotherapy, 988
  chronic psoriasis, arsenical hyperpigmentation, hyperkeratosis, probable arsenical hepatitis, 350
  erythroderma with positive reactions of skin to arsenic, 862
  pulmonary embolism from arsenicals injected intravenously; method suggested for prevention, *901
Arsenobenzenes, fatality after intramuscular injection of bismuth in man sensitive to arsenobenzenes, *969
Arsphenamine, comparison of neoarsphenamine and arsphenamine; results and reactions in 999 patients under treatment or observation not less than 6 months, *185
  effects of neoarsphenamine in spontaneous breast tumors of mice, 675
  exanthem resembling lichen ruber, 510
  localized dermatitis exfoliativa (arsphenamine), 1051
  reactions following use of different series of neoarsphenamine, 841
  severe trophic corneal damage in case of arsphenamine dermatitis, 337
  sodium dehydrocholate in arsphenamine poisoning; preliminary report, *401
  toxicity and physical properties of neoarsphenamine of different manufacture, 834
Arthritis, erythema multiforme; arthritis; bilateral orchitis; endocarditis; rôle of enterococcus, 991
Arthropathies, clinical observations on tabetic arthropathies, 506
Arthus' phenomenon; chemical composition of active principle of tuberculin; local cutaneous sensitization (Arthus' phenomenon) produced in normal rabbits and guinea-pigs by protein of tuberculin, 678
  serologic study in syphilitic child with fatal reaction to transfusion, 985

Asthma, urinary proteose; allergic dermatoses and eczema-asthma-hay fever complex, *745
Ataxia: See Tabes Dorsalis
Atophan, influence of, on irritability of skin, 137
Atrophy, macular, 179
macular cutaneous atrophy of tuberculous origin, 134
macular, idiopathic, 353
scleroderma en plaques associated with atrophia cutis, 533
Australian aborigines, diseases of, 133
Autohemotherapy, 331
Avertin, contact dermatitis in anesthetist, due to "avertin," 129
Ayres, S., Jr.: Impetigo herpetiformis, 1021
Mycosis fungoides, 541
Tinea capitis in an adult with scar-producing alopecia, 543

Backus, C. C.: Dermatitis herpetiformis and herpes gestationis, 1003
Bacteriophage, behavior of bacteriophage in body fluids and in exudates, 679
Bakers' eczema and sensitiveness to lactic acid, 137
Ballin, D. B.: Cutaneous hypersensitivity to mercury from tattooing; report of case, *292
Balneotherapy; hot baths in experimental primary syphilis of rabbits and in trypanosomiasis of rats, *660
Bancroft, I. R.: Abnormal psoriasis, 1020
Poikiloderma atrophicans vasculare, 540
Psoriasiform syphilis, 541
Barney, R. E.: Leukemic myelosis associated with specific nodules in skin; report of case and review of literature, *725
Baths: See Balneotherapy
Bechet, P. E.: Chemical tattoo, 529
Iloderma following use of iodinized table salt, 1054
Lymphogranulomatosis cutis with lesions strongly suggestive of lichen nitidus, 1054
Multiple disseminated hairy and pigmented nevi, 515
Multiple superficial epitheliomatosis, 882
Nevus pigmentosus; outbreak of innumerable lesions following excision of a large single lesion, 694
Pemphigus; results from treatment, 515
Psoriasis and dermatitis venenata (atypical hyperkeratotic lesions), 536
Sarcoma, 536
Becker, S. W.: Pigmented epitheliomas, 981
Schamberg's disease, 173
Beerman: Chronic psoriasis, arsenical hyperpigmentation, hyperkeratosis, probable arsenical hepatitis, 350
Beeson, B. B.: Dermatitis herpetiformis, 853
Pemphigus (Senear-Usher type), 1041
Behn, C. W.: Dystrophy of nails, 359
Belgrade, J. T.: Intradermal and cutaneous methods of testing in food allergy; comparative study, *206
Belote, G. H.: Acne conglobata; experimental study, *302
Benjamin, H.: Secondary syphilis; case of reinfection, 1024
Berkovsky, M.: Alopecia areata, 362
Besancon, J. H.: Dystrophy of nails, 359
Best, W. H.: Macular anesthetic leprosy, 153
Nodular leprosy, 153
Biography:
Noah Worcester, A.M., M.D., pioneer internist and dermatologist in Middle West, *825
Bishop, E. L.: Pseudoxanthoma elasticum; report of 5 cases illustrating its association with angioid streaks of retina, *424
Bismuth, anionic bismuth therapy in neurosyphilis, 128
dermatitis medicamentosa (bismuth), 1040
erythroderma, 134
fatality after intramuscular injection of bismuth in man sensitive to arsenobenzenes, *969
liposoluble salts of bismuth, 136
Bismuth—Continued
pigmentation on buccal mucosa, 695
treatment of severe types of congenital syphilis with bismuth, 991
Bladder, neurofibromatosis of, 676
Blastomycete, meningitis and dermatitis caused by new variety of blastomycete (endomycete), *49
Blastomycosis, 174, 1014
chromoblastomycosis in Texas, *107
Bloch, Bruno, death of, 980, 983
Blood, hemorrhagic diathesis and phenomenon of "Biblical" blood sweats, 340
influence of periarticular sympathectomy on leukocytes, 340
red cell sedimentation test in dermatology; preliminary report, *759
sugar and self-sterilizing powers of skin; effect of drugs and hormones, *756
sugar; hyperglycemia in diseases of skin, *198, 330
transfusion; Arthus phenomenon: serologic study in syphilitic child with fatal reaction to transfusion, 985
transfusion, transmission of syphilis by, 834
Bloom, D.: Ainhum; report of case with roentgenologic findings and review of literature, *783
Granuloma; possibly due to fungous infection, 693, 864, 869
Lichen nitidus, 885
Lymphogranuloma inguinale, 686
Boils, occurrence of boils among men working in coal mines, 130
Bonar, L.: Epidermomycosis at University of California, *12
Bone, case for diagnosis (multiple fibromas? osseous cysts? adenoma sebaceum?), 1006
Book Reviews:
An Arctic Safari, with Camera and Rifle in the Land of the Midnight Sun; R. L. Sutton, 545
Common Skin Diseases; A. C. Roxburgh, 181
Diseases of the Skin: A Manual for Students and Practitioners; R. W. MacKenna; third edition edited by R. M. B. McKenna, 982
Handbuch der Haut und Geschlectskrankheiten; J. Jadassohn, 896
Skin Diseases and Nutrition, Including the Dermatoses of Children; E. Urbach, 721
Streptococci in Relation to Man in Health and Disease; A. W. Williams, 368
Treatment of Syphilis; J. F. Schamberg and C. S. Wright, 368
Books received, 369
Bowen's disease: See Cancer
Brain, asymptomatic syphilis; effect of various drugs on Spirochaeta pallida in brains of rabbits and mice, *923
Breast, bilateral hypertrophy in a man, 538
tumors of mice, effects of neo-arsphenamine in, 675
xanthoma of, 672
Bromide and bromine; bromoderma of newborn, experimental cutaneous reactions, 134
Bromoderma: See Bromide and Bromine
Brown, H.: Sulphur content of hair and of nails in abnormal states; therapeutic value of hydrolyzed wool; hair, *584
Brunsting, L. A.: Lupus erythematosus (telangiectatic type); epithelioma (basal cell); hematoporphyrinuria, 1035
Buerger's Disease: See Thrombo-angiitis obliterans
Bullous eruption, case for diagnosis, 872
Busman, G. J.: Pemphigus, 696
Butterworth, T.: Tuberculosis verrucosa cutis, 148

Calcinosis, transient calcinosis universalis, 997
Calcium, influence of, on irritability of skin, 137
Cameron, O. J.: Lymphogranuloma inguinale (Durand-Nicolas-Favre disease); preliminary report of 3 cases in Omaha, *778
Mycosis fungoides in mother and in daughter, *232

Cancer: See also Adenoma; Sarcoma; Tumor, etc.
Bowen's precancerous dermatosis, 1052
carcinomatosis, 175
cutaneous papillomas among patent fuel workers in relation to malignant disease, 130
end-result of cancer cases treated in Philadelphia hospitals in 1923, as shown by special 1930 follow-up studies, 674
heliotropism of cholesterol in relation to skin cancer, 675
is increase of cancer real or apparent? 673
pathogenesis of carcinoma of lupus erythematosus origin, 835
radium therapy in cancer of lip from point of view of metastases, 341
tobacco tar; experimental investigation of its alleged carcinogenic action, 674
Cannon, A. B.: Tertiary syphilis, 880
Capillaries, resistance of peripheral capillaries of human body; physiologic data, 340
Carabelli tubercles in mother and 3 children, 1006
Cardiovascular syphilis, 989
syphilis, diagnosis of, 989
syphilis, treatment of, 989
Caro, M. R.: Lymphogranulomatosis inguinale, 856
Carson, L. J.: Darier-Roussy sarcoid, 701
Casein, biologic relationship between cow's, goat's and human casein, 985
Cathode or Lenard "ray" dermatitis, *579
Cerebrospinal Fluid, importance of spinal fluid findings in pathology of latent and congenital syphilis, 681
obtaining spinal fluid from living mouse by means of suboccipital puncture, 510
precipitation reaction in, 995
Chalk, colored, as cause of eczema, 993
Chambers, S. O.: Keratosis blennorrhagica, *411
Chancre, syphilitic chancre of external auditory canal, 994
Chancroid, 1029
of right upper eyelid, 348
Chargin, L.: Basal-cell epithelioma, 159
Bismuth pigmentation on buccal mucosa, 695
Case for diagnosis (erythème annulaire circiné [Darier] or premycosis fungoides?), 886
Psoriasis limited to one finger-tip, 870
Cheilitis: See under Lip
Chemotherapy, studies in chemotherapy; sodium thiosulphate and arsenic resistance, 988
Chickenpox and herpes zoster in tropics, 132
in old age, 680
Cholesterol and lecithin studies in syphilis; cholesterol partition in relation to Wassermann reaction, *383
heliotropism of cholesterol in relation to skin cancer, 675
Chorioretinitis, pseudoxanthoma elasticum of skin; angioid streaks of retina; old chorioretinitis, 849
Choroid, metastatic melanomas of skin following enucleation of left eye for sarcoma of choroid, 864
Chromoblastomycosis in Texas, *107
Cicatrices, healed secondary lesions with scarring resembling pock marks, 1026
Cigarette smoke, tar in cigarette smoke and its effects, 675
Clark, E.: A volatile sulphide in ointment form, *658
Cleveland, D. E. H.: Hypersensitivity to mercurochrome shown by patch test, 833
Cohen, W. B.: Multiple idiopathic hemorrhagic sarcoma of Kaposi, 527
Cole, H. N.: Diffuse type of sarcoid of Boeck and papulonecrotic tubercle, 698
Macular atrophy, 179
Mercurial inunctions in treatment of syphilis: excretion of mercury following use of mild mercurous chloride inunction; mode of absorption of mercury from skin, *1
Colloid degeneration, case for diagnosis, 332, 533
Combes, F. C.: Sarcoid; report of unusual case of disseminate type, *821
Conjunctiva, leukoplakia of, 509
lupus erythematosus of conjunctiva; argyria, 718
Copper dermatitis, 511
Cormia, F. E.: Lymphogranulomatosis inguinalis, 1002
Urinary proteose; allergic dermatoses and eczema-asthma-hay fever complex, *745
Cornbleet, T.: Lichen planus (bullous), 1039
Parapsoriasis en plaques, 853
Sarcoid or leprosy, 171
Self-sterilizing powers of skin; effect of drugs and hormones, *756
Some nonspecific dermatoses; their responses to spleen extract, *956
Cornea, severe trophic corneal damage in case of arsphenamine dermatitis, 337
Cornell, V. A.: Lupus erythematosus and sclerodactylia, 864
Corson, E. F.: Dystrophy of nails, 348
Senear-Usher syndrome, 1001
Two cases of pseudopelade, 1004
Crawford, S.: Cutaneous nodulodiscoid tuberculosis of anergic type, with development into active (allergic) pulmonary tuberculosis, *766
Lenard or cathode "ray" dermatitis, *579
Creeping eruption due to Ankylostoma braziliense, *490
Cummer, C. L.: "Toilet-seat dermatitis" produced by a red stain; possibility of a sudan stain as causative factor, *976
Cutis Marmorata: See Livedo reticularis
Verticis: See Scalp
Cysts, case for diagnosis (multiple fibromas? osseous cysts? adenoma sebaceum?), 1006

Darier's Disease: See Keratosis follicularis
Dementia paralytica, effect of menstruation on incidence of, *568
paralytica, juvenile, 365
Denney, O. E.: Leprosy; comments on in vitro behavior of lepra and certain other acid-fast micro-organisms in presence of leukocytes, *794
Dermatitis: See also Acrodermatitis; Neurodermatitis; etc.
artefacta, 1044
artefacta sporotrichosis, 1023
exfoliativa (Wilson-Brocq), 683
exfoliative dermatosis and malignant erythroderma: value and limitations of histopathologic studies, *253
exfoliative dermatitis and pemphigus, case of, 509
Herpetiformis: See Dermatitis multiformis
Lenard or cathode "ray" dermatitis, *579
Medicamentosa: See also Arsenic; Arsphenamine; Avertin; Bismuth; Oxygenaire; Phenolphthalein; etc.
medicamentosa; drug eruption or erythema multiforme, 691
multiformis, 149, 853, 1025
multiformis and herpes gestationis, 1003
multiformis appearing 3 weeks after thyroidectomy, 537
multiformis, latent dermatitis herpetiformis of Duhring and its provocation by iodide, 510
nodularis necrotica, 1012
papulosa nigra, 880
papulosa nigra (Castellani) of unusual distribution (acanthosis papulosa nigra), *751
repens, 166
seborrheic, 362
solare, 346
spleen extract in, *956, *963
"toilet-seat dermatitis" produced by a red stain; possibility of a sudan stain as causative factor, *976
toxic dermatitis, 1022
treatment of some dermatoses with diathermy, 998
Venenata: See also under names of various substances as Chalk; Copper; etc.

Dermatitis—Continued
venenata; contact dermatitis (venenata), distribution and importance of Heleniums as cause of contact dermatitis in United States, 327
venenata, psoriasis and dermatitis venenata (atypical hyperkeratotic lesions), 536
venenata; "toilet-seat dermatitis" produced by a red stain; possibility of a sudan stain as causative factor, *976
Dermatologic societies, directory of, 182, 370, 546, 722, 898, 1056
Dermatomyositis, case of, 994
Dermatophytosis: See under Mycosis
Dermatosis: See Dermatitis; Eczema; Skin diseases; etc.
DeWolf, H. F.: Acute syphilitic hepatitis, 1029
Arterial embolism following injection of mercury, 344
Carcinomatosis, 175
Chancroid, 1029
Chronic pemphigus and diabetes, 1027
Esthiomene (lymphogranuloma inguinale), 343, 698
Heredosyphilis, 700
Late secondary syphilis, 176
Lupus erythematosus, 178
Lymphogranuloma inguinale, 176, 344, 703, 1033
Mercurial inunctions in syphilis; excretion of mercury following use of mild mercurous chloride inunction; mode of absorption of mercury from skin, *1
Multiple sarcoid-like lesions of skin, 343
Parapsoriasis guttate, 342
Perianal granuloma inguinale, 704
Secondary syphilis (syphilitic meningitis), 1032
Diabetes and chronic pemphigus, 1027
mellitus of syphilitic origin, 506
Diasio, F. A.: Dermatosis papulosa nigra (Castellani) of unusual distribution (acanthosis papulosa nigra), *751
Diathermy: See also under names of various diseases
treatment of some dermatoses, 998
Diphtheria, primary, of genitals in young girls, 511
Director, W.: Red cell sedimentation test in dermatology; preliminary report, *759
Trichophytin test; report of 350 cases, *739
Directory of dermatologic societies, 182, 370, 546, 722, 898, 1056
Dopa reaction, melanoma studies; simple technique for Dopa reaction, 986
Doty, C. A.: Dermatitis nodularis necrotica, 1012
Downing, J. G.: Kyrle's disease, 1022
Driver, J. R.: Diffuse type of sarcoid of Boeck and papulonecrotic tubercle, 698
Macular atrophy, 179
Drug Eruptions: See Dermatitis medicamentosa; and under the names of drugs, as, Arsenic; Arsphenamine; Phenolphthalein; etc.
Duemling, W. W.: Case for diagnosis (granuloma pyogenicum), 167
Postoperative gangrenous ulcer of abdominal wall, report of case with notes on treatment, *624
Duhring's Disease: See Dermatitis multiformis
Durand-Nicolas-Favre disease: See Lymphogranuloma inguinale
Dyshidrosis: See under Sweat and Sweat Glands
Dyskeratosis: See Keratosis
Dysphagia, syndrome of anemia, glossitis and dysphagia; report of 8 cases with reference to observations at autopsy in 1 instance, 676

Ear, congenital auricular fistula (with preauricular sinus), 1035
leprosy of ear, nose and throat, 676
lupus erythematosus with squamous carcinoma of ear, 851
syphilitic chancre of external auditory canal, 994
Ebert, M. H.: A psoriasiform eruption with pustular exacerbations, *933
Case for diagnosis (pemphigus or pityriasis rosea), 168
Dermatitis herpetiformis, 853
Infectious granuloma with ulceration, 852
Pemphigus (Senear-Usher type), 1041
Eccrine glands, variations in fat content of eccrine glands in constitutional diseases, 510
Ectodermal defect, congenital, with milia, 1017
Eczema, allergic, 1008
bakers' eczema and sensitiveness to lactic acid, 137
case for diagnosis, 861
demarcation of neurodermatitis from chronic eczema on ground of constitutional considerations, 996
demonstration of sessile antibodies in patients with eczema, 839
dietetic treatment of constitutional infantile eczema and of strophulus, 996
due to colored chalk, 993
due to hypersensitiveness to rubber, *25
infective eczema of scalp, 680
of hands from goose feathers, 340
solare, animal charcoal in, 136
test of susceptibility to eczema in patients without cutaneous eruptions, in those with eruptions and in allergic persons: its practical meaning, 137
urinary proteose; allergic dermatoses and eczema-asthma-hay fever complex, *745
vaccinatum (vaccine generalisata), 994
Eddy, B. E.: Leprosy; comments on in vitro behavior of lepra and certain other acid-fast micro-organisms in presence of leukocytes, *794
Egg albumin, new research on allergy to egg albumin in infants, 837
Eichenlaub, F. J.: Urinary proteose in dermatoses, *316
Electrocoagulation: See Diathermy; and under names of various diseases
Eller, J. J.: Basal cell epitheliomas with excessive pigment formation; their relation to melanomas, *277
Dosage of skin therapy expressed in international roentgen units, *670
Mycosis fungoides, "a tumeur d'emblée solitaire;" report of a case, *807
Elliott, J. A.: Treatment of epithelioma of lip by dermatologist, *373
Elston, R. W.: Postoperative gangrenous ulcer of abdominal wall, report of case with notes on treatment, *624
Embolism, arterial embolism following injection of mercury, 344
pulmonary embolism from arsenicals injected intravenously, suggested method for prevention, *901
Endocarditis, erythema multiforme; arthritis; bilateral orchitis; endocarditis; rôle of enterococcus, 991
Endomycete, meningitis and dermatitis caused by new variety of blastomycete (endomycete), *49
Engineers, industrial stigma of locomotive engineers and firemen not previously described, 681
Enterococcus, rôle of, in erythema multiforme, arthritis, bilateral orchitis and endocarditis, 991
Epidermolysis bullosa, 1011
bullosa acquisita, 687
bullosa acquisita, tentative, 151
bullosa congenita, 169
bullosa or acrodynia, 1011
bullosa with cutis hyper-elastica, 332
Epidermomycosis: See Mycosis
Epithelioma and lupus erythematosus, 863
basal-cell, 159
basal cell, with excessive pigment formation; relation to melanomas, *277
lupus and pityriasis rosea in child of 10 years, 134

Epithelioma—Continued
lupus erythematosus (telangiectatic type); epithelioma (basal cell); hematoporphyrinuria, 1035
multiple benign cystic epithelioma, 1051
multiple benign epithelioma of scalp (turban tumors), 521
multiple epitheliomas, 6 cases, and 2 cases of Kaposi's sarcoma, 712
multiple superficial epitheliomatosis, 882
of eyelids, 1016
pigmented, 981
pseudo-epitheliomatous hyperplasia (of White and Weidman) at border of stasic ulcer, 357
psoriasis and multiple superficial epithelioma, *70
treatment of epithelioma of lip by dermatologist, *373
Epstein, N. N.: Coccidioidal granuloma, 164
Tabes dorsalis, 347
Ergosterol; viosterol in treatment of pemphigus, 30
Erysipelas and pseudo-erysipelas in patients with leprosy, 997
antitoxin treatment of, 328
case in infant, 509
in new-born, 328
Erysipeloid, an occupational disease, 508
two cases, 712
Erythema annulare; case for diagnosis (erythème annulaire circinée [Darier] or premycosis fungoides]), 886
figuration perstans, 685
induratum (Bazin) and lupus erythematosus tumidus, 991
induratum and pulmonary tuberculosis, 146
induratum, granuloma annulare of papulonecrotic tuberculids, 1005
induratum with bullous lesions, 140
multiforme; arthritis; bilateral orchitis; endocarditis; rôle of enterococcus, 991
multiforme bullosum, 892
multiforme, case for diagnosis, 160, 881
multiforme or drug eruption, 691
multiforme (typus inversus), 892
nodosum and tuberculin reaction, 992
nodosum, etiology of, 996
nodosum in undergraduate nurses and its relationship to tuberculosis, 677
nodosum, ward outbreak of, 132
perstans, 159
perstans or lupus erythematosus disseminatus subacutus? 845
Erythroderma, bismuth erythroderma, 134
congenital ichthyosiform erythrodermia, 543
desquamative, treatment of, 337
exfoliative dermatosis and malignant erythroderma; value and limitations of histopathologic studies, *253
lymphoblastic, 1034
with positive reactions of skin to arsenic, 862
Erythroplasia of Queryat, 688
Esthiomene; lymphogranulomatosis inguinale, 854
Eyebrow, tinea sycosis of eyebrow, 139
Eyelid, chancroid of right upper eyelid, 348
epithelioma of, 1016
Eyes, irritant action on protected eyes of roentgen and ultraviolet rays directed to distant parts of body, 336
new prosthesis to prevent lesions of eyes by roentgen rays, 996

Fanburg, S. J.: Trichostasis spinulosa, *274
Fat, subcutaneous fat necrosis of new-born, report of 5 cases, *237
Feathers, eczema of hands from goose feathers, 340
Feer's disease, 334
Feet, condition superficially resembling mossy foot in a native of Sudan, 987
hook needle foot a sign of congenital syphilis, 136
symmetrical lividities of soles, *663
Feiler, H. B.: Polycythemia, 161
Felt, H.: Dermatitis exfoliativa (Wilson-Brocq), 683
Lupus miliaris disseminatus, 144
Feldman, S.: Erythema multiforme or drug eruption, 691
Hemorrhagic sarcoma of Kaposi, 364
Keratoderma blennorrhagicum, 889
Lichen planus, 895
Sarcoma of Kaposi, 692
Fever Therapy: See also Malaria therapy
clinical study of artificial hyperthermia induced by high frequency currents, 327
studies on physiological effects of fever temperatures; effect of repeated short wave (30 meter) fevers on growth and fertility of rabbits; thermal death time of spirochaeta pallida in vitro with reference to fever temperatures; healing of experimental syphilis lesions in rabbits by short wave fevers 677
Fibromas, case for diagnosis (multiple fibromas? osseous cysts? adenoma sebaceum?), 1006
molluscum gravidarum and von Recklinghausen's disease, 357
multiple fibromas; Recklinghausen's disease, *421
nodular subepidermal fibrosis, *812
tumor-like masses on gums (fibromatosis gingivae and gingivitis hypertrophica), 838
Fibrosis, nodular subepidermal fibrosis, *812
Fingers, nodular enlargement of articulations of fingers; their frequency in congenital syphilis, 836
Finnerud, C. W.: Mycosis fungoides; report of case with autopsy, *631
Fistula, congenital auricular fistula (with preauricular sinus), 1035
Folliculitis ulerythematosa reticulata, 508
ulerythematosa reticulata or congenital milia?, 1004
Food, intradermal and cutaneous methods of testing in food allergy; comparative study, *206
Foot: See Feet
Fordyce Disease: See Fox-Fordyce disease
Fox, H.: Hydroa vacciniforme, 1044
Lupus erythematosus pemphigoides, 1048
Subcutaneous fat necrosis of new-born, report of five cases. *237
Verrucous tuberculoid pyoderma, 1050
Fox-Fordyce disease, 135, 177, 1009
Frambesia and syphilis in Calabar, southern Nigeria analysis of 5,000 Sachs-Georgi tests, 132
immunologic studies in spirochetosis, study of intravenous reinfection; reaction of region of primary cutaneous inoculation after intravenous reinjection in frambesia, 843
relationship between frambesia and syphilis, 510, 987
specific change in veins in experimental frambesia of rabbits (sumatra strain), 336
Frank, L. J.: Sclerodactylia, 155
Fraser, J. F.: Papulonecrotic tuberculid with perforated nasal septum, 513
Freeman, C. D.: Arsenic-resistant syphilis, 1015
Epithelioma of eyelid, 1016
Friedman, R. J.: Psoriasis and multiple superficial epithelioma. *70
Tubercle of Carabelli in mother and 3 children, 1006
Frost, K. P.: Dyskeratosis follicularis (Darier's disease), 539
Fungous extracts; trichophytin test; report of 350 cases, *739
infection, can thallium replace roentgen treatment in fungus infection of scalp in children? 511
infection of mouth and skin, 1018
influence of grenz rays on pathogenic fungi in skin material, *953
microscopic examination of cultures of fungi, 335

Gammel, J. A.: Experimental monosporosis, *100
Gandy, T.: Dermatitis from oxygenaire, *951

Ganglioneuroma or neurocytoblastoma, 846
Gangrene, multiple gangrene of skin following scarlet fever, 1019
postoperative gangrenous ulcer of abdominal wall, report of case with notes on treatment, *624
Garfield, W. T.: Healed secondary lesions with scarring resembling pock marks, 1026
Garner, V. C.: Case presented for opinion as to best method of therapy, 351
Pseudopelade of Brocq, 150
Senear-Usher pemphigus, 714
Tentative epidermolysis bullosa acquisita, 151
Gauvain, E. A.: Case for diagnosis, 154
Multiple benign tumor-like growths of Schweninger and Buzzi, 154
Genitals, primary diphtheria of genitals in young girls, 511
tuberculosis of external genitalia from contact infection, 137
Gerson-Herrmannsdorfer-Sauerbruch Diet: See under Skin Diseases; Tuberculosis
Geyer, P.: Case for diagnosis, 165
Gilman, R. L.: Case for diagnosis, 719
Scleroderma, 148
Gingivitis: See under Gums
Glossitis: See Tongue
Gnat bite, atypical gnat bite reactions (culicosis bullosa, 994
Gold, deposition of gold in skin, 331
dermatitis limited to depigmented skin with theoretical consideration of its etiology, *36
lupus erythematosus of face and scalp with disseminated lupus or toxic dermatitis (gold), 1023
purpura with bullae due to gold, 333
Goldman, L.: Systemic phase of tuberculosis cutis, *295
Goldmann, B. A.: Lymphoblastoma, 883
Goodman, H.: Leukemia, 139
Granuloma annulare, 147, 708, 869, 891, 1002
annulare and lupus erythematosus, 709
annulare, erythema induratum or papulonecrotic tuberculids, 1005
coccidioidal, 164
fungoides, 848
infectious granuloma with probably beginning neoplastic properties, 352
infectious granuloma with ulceration, 852
inguinale, 1037
inguinale, perianal, 704
late cutaneous syphilis granuloma or annulare, 524
possibly due to fungi, 693, 864, 869
pyogenicum, case for diagnosis, 167
venerea, 334
Greenbaum, S. S.: Case for diagnosis, 1000
Chancroid of right upper eyelid, 348
Lupus erythematosus and granuloma annulare, 709
Poikiloderma vasculare atrophicans, 705
Sclerema neonatorum, 352
Greenhouse, C.: Gumma of penis, 890
Greenwood, A. M.: Lymphoblastoma (mycosis fungoides) and hemorrhagic sarcoma of Kaposi in same person, *643
Grenz rays, influence on pathogenic fungi in skin material, *953
Gross, P.: Adenoma sebaceum (Pringle); Recklinghausen's disease; occurrence in mother and two daughters, 879
Hydroa vacciniforme, 145
Lupus erythematosus, 684
Porokeratosis mibelli, 879
Gumma, extirpation of primary syphiloma, 839
multiple, of shaft of penis, 882
of penis, 890
of skin associated with oculomotor paralysis, 893
of tongue, 883
or syphilitic phlebitis? 891
Gums, pigmentation of gums, 718
tumor-like masses on gums (fibromatosis gingivae and gingivitis hypertrophica), 838
Guy, W. H.: Acne varioliformis, 885
Lymphoblastoma, 883
Nocardiosis cutis gangrenosa, *224
Tertiary syphilis, 697
Hair, infantile hirsutism treated by roentgen-otherapy, 837
sulphur content of hair and nails in abnormal states; therapeutic value of hydrolyzed wool, *584
trichostasis spinulosa, *274
Halloran, C. R.: Dyskeratosis follicularis (Darier's disease), 539
Hansen's Disease: See Leprosy
Hay fever, urinary proteose; allergic dermatoses and eczema-asthma-hay fever complex, *745
Hecht, R.: Effect of menstruation on incidence of dementia paralytica, *568
Helmbold, T. R.: Bacteriologic studies on lichen planus, preliminary report, *472
Nocardiosis cutis gangrenosa, *224
Hemangio-endothelioma, histologic study of blood tumor-like lesion of nevoid origin presenting structure of hemangio-endothelioma, 335
Hematoporphyrinuria, lupus erythematosus (telangiectatic type); epithelioma (basal cell); hematoporphyrinuria, 1035
Hemochromatosis and purpura, 129
Hemoglobinuria, paroxysmal, 680
Hemorrhagic diathesis, and phenomenon of "Biblical" blood sweats, 340
Hemosiderosis: See Hemochromatosis
Hepatitis: See Liver
Herpes gestationis and dermatitis herpetiformis, 1003
gestationis, contribution to study of, 135
zoster and varicella in tropics, 132
zoster, bilateral, 157
zoster (gangrenous) with varicelliform eruption, 695
zoster generalisatus with lympathic leukemia, 993
Herrmannsdorfer-Sauerbruch-Gerson Diet: See under Skin diseases; Tuberculosis
Hidrosadenitis: See under Sweat and Sweat Glands
High frequency currents, clinical study of artificial hyperthermia induced by high frequency currents, 327
Hinton Reaction: See under Syphilis
Hirsutism: See under Hair
Hodgkin's Disease: See Lymphogranuloma
Hookey, J. A.: Epidermolysis bullosa, 1011
Fox-Fordyce disease, 1009
Hulsey, S.: Chromoblastomycosis in Texas, *107
Hydroa vacciniforme, 145, 1044
Hydrolyzed wool, sulphur content of hair and of nails in abnormal states; therapeutic value of hydrolyzed wool, *584
Hyperglycemia: See Blood sugar
Hyperhidrosis: See under Sweat and Sweat Glands
Hyperkeratosis: See under Keratosis
Hyperthermia: See under Fever
Hypertrichosis: See under Hair
Hypothyroidism: See under Thyroid

Ichthyosis, case for diagnosis: ichthyosis, hypothyroidism or acrodermatitis chronica atrophicans, 349
congenital ichthyosiform epidermolysis, 333
hystrix, case of, 133
Impetigo herpetiformis, 1021
herpetiformis of Hebra, cure by blood transfusion, 839
Industrial dermatoses, 129
dermatoses in a tar paper factory, 840
diseases of skin in wire drawers, 842
stigma of locomotive engineers and firemen not previously described, 681
Infant, New-Born: See New-Born
Inflammation, treatment of inflammatory conditions by radiation, 133
Injections, intravenous; congestion dermatosis following injections into veins, 335
Insulin in ulcus cruris, 340
International roentgen units, dosage of skin therapy expressed in international roentgen units, *670
Iodine; iodermа following use of iodinized table salt, 1054

Iodine—Continued
treatment of skin diseases, particularly scleroderma, by means of fumigation with iodine, 682
Iritis, acute syphilitic iritis and lupus erythematosus of scalp, 349
Irvine, H. G.: Case for diagnosis, 1017
Lichen planus of lip, 1019

Jacob, F. M.: Acne varioliformis, 885
Bacteriologic studies on lichen planus, preliminary report, *472
Tertiary syphilis, 697
Jacoby, R.: Dermatitis herpetiformis, 1025
Jadassohn, to Joseph Jadassohn on death of Bruno Bloch, 980
Jamieson, R. C.: Allergic eczema, 1008
Fox-Fordyce disease, 1009
Scleroderma with cartilaginous tumors, 1010
Jones, J. W.: Pseudoxanthoma elasticum; report of 5 cases illustrating its association with angioid streaks of retina, *424
Juxta-articular nodules; tertiary syphilis; juxta-articular nodules associated with multiple nodulo-ulcerative lesions, 355

Kahn, B. L.: Dermatitis herpetiformis, 149
Kahn Test: See under Syphilis
Kampf, M.: Case for diagnosis, 158
Kaposi's Disease: See Xeroderma pigmentosum
Kelley, E. F.: Late syphilis, 363
Keratitis, interstitial keratitis in late congenital syphilis, 990
Keratoderma blennorrhagicum, 889, 894
disseminatum palmaris et plantaris; mode of inheritance, *78
Keratoma, palmar and plantar keratoma in combination with other degenerative signs, 992
Keratosis blennorrhagica, *411
case of symmetrical hyperkeratosis of lower extremities, 133
chronic psoriasis, arsenical hyperpigmentation, hyperkeratosis, probable arsenical hepatitis, 350
dyskeratosis follicularis (Darier's disease), 539
follicularis, 1018
follicularis, Darier, 531, 859
follicularis, involvement of mucous membranes in Darier's disease, 995
keratotic destruction of capillary ridges in disseminated keratoses of palms and soles, 682
Kerion celsi, 328
Kittredge, H. E.: Trichophytosis, including onychomycosis universalis, simulating tinea imbricata; report of unusually extensive case, *607
Klauder, J. V.: Alopecia totalis, 711
Lupus erythematosus of conjunctiva; argyria, 718
Sulphur content of hair and of nails in abnormal states; therapeutic value of hydrolyzed wool; hair, *584
Two cases of erysipeloid, 712
Klein, H. N.: Idiopathic macular atrophy, 353
Klien, B.: Pseudoxanthoma elasticum of skin; angioid streaks of retina; old chorioretinitis, 849
Koetter, G. F.: Keratosis blennorrhagica, *411
Kolmer, J. A.: Hot baths in experimental primary syphilis of rabbits and in trypanosomiasis of rats, *660
Krasnow, F.: Cholesterol and lecithin studies in syphilis; cholesterol partition in relation to Wassermann reaction, *383
Kulchar, G. V.: Acute syphilitic iritis and lupus erythematosus of scalp, 349
Erythema induratum, granuloma annulare or papulonecrotic tuberculids, 1005
Gold dermatitis limited to depigmented skin with theoretical consideration of its etiology, *36
Hypertrophic lichen planus or prurigo nodularis, 152
Kulchar, G. V.—Continued
Ichthyosis, hypothyroidism or acrodermatitis chronica atrophicans, 349
Multiple xanthomas, 152
Primary inoculation tuberculosis with extension along lymphatic drainage and secondary scrofuloderma, 721
Pseudopelade, 350
Xanthoma multiplex and prenatal syphilis, 348
Kyrle's disease, 1022

Lactic acid, bakers' eczema and sensitiveness to lactic acid, 137
Lane, C. G.: Lymphoblastoma (myocosis fungoides) and hemorrhagic sarcoma of Kaposi in same person, *643
Lane, C. W.: Pyodermia gangrenosum; report of case, *460
Larsson, B. H.: Case for diagnosis, 361
Larva Migrans: See Creeping eruption
Lashinsky, I. M.: Bilateral herpes zoster, 157
Eczema, 861
Erythema multiforme, 160
Erythema multiforme (typhus inversus), 892
Lichen planus simulating psoriasis vulgaris, 895
Melanoma, 887
Nevus unius lateris, 886
Syphilitic phlebitis? gumma? 891
Lecithin and cholesterol studies in syphilis; cholesterol partition in relation to Wassermann reaction, *383
Legge, R. T.: Epidermomycosis at University of California, *12
Leishmaniasis, atypical forms of skin leishmaniasis, 512
cutaneous, clinical and histopathologic study, 991
experiment for immunization against cutaneous leishmaniasis, 987
Lenard or cathode "ray" dermatitis, *579
Leprosy, comments on in vitro behavior of lepra and certain other acid-fast microorganisms in presence of leukocytes, *794
complement-fixation reaction with tuberculosis antigen of Witebsky, Klingenstein and Kuhn in leprosy, 682
erysipelas and pseudo-erysipelas in patients with leprosy, 997
macular anesthetic leprosy, 153
nodular leprosy, 153
of ear, nose and throat, 676
or sarcoid, 171
or syphilis 689
proteus, *450
Leukemia, case for diagnosis, 139, 526
leukemic myelosis associated with specific nodules in skin; report of case and review of literature, *725
zoster generalisatus with lymphatic leukemia, 993
Leukocytes, influence of periarterial sympathectomy on leukocytes; surgical procedures on sympathetic nervous system, 340
Leukoderma: See Vitiligo
Leukokeratosis: See Leukoplakia
Leukoplakia of conjunctiva, 509
Levin, O.: Dermatophytosis and dermatophytid, 142
Erythema induratum and pulmonary tuberculosis, 146
Hodgkin's disease, 147
Lichen scrofulosorum, 145
Lichen scrofulosorum and scrofuloderma, 146
Lupus erythematosus and pulmonary tuberculosis (local injections of gold preparation), 147
Lupus vulgaris and lichen scrofulosorum, 146
Metastatic melanomas of skin following enucleation of left eye for sarcoma of choroid, 864
Nevus reticularis et pigmentosus, 141
von Recklinghausen's disease and pulmonary tuberculosis, 145
Syphilis and tuberculosis, 865

Levine, B.: Fox-Fordyce disease, 177
Lewis, G. M.: Yeast infection, 875
Lice: See Pediculosis
Lichen nitidus, 864, 885
nitidus lymphogranulomatosis cutis with lesions strongly suggestive of lichen nitidus, 1054
planus, 895
planus atrophicus, 868
planus of buccal mucous membrane and lupus erythematosus of face, 1049
planus, bacteriologic studies, preliminary report, *472
planus (bullous?), 1039
planus, hypertrophic lichen planus or prurigo nodularis, 152
planus, indirect roentgen therapy in cutaneous diseases, particularly in lichen planus, 999
planus involving nails, 360
planus linearis, 689
planus of lip, 1019
planus sclerosis et atrophicus, 1013, 1014
planus simulating psoriasis vulgaris, 895
planus; zosteriform lichen planus, 997
ruber-like arsphenamine exanthem, 510
scrofulosorum, 145
scrofulosorum and lupus vulgaris, 146
scrofulosorum and scrofuloderma, 146
syphiliticus, 354
Lindsay, H. C. L.: Bilateral hypertrophy of breast in a man, 538
Case for diagnosis, 1020
Lupus vulgaris, cheilitis or perlèche?, 539
Lingua: See Tongue
Lip, cancer of lip from point of view of radium therapy, 341
cancer, radium therapy in, 834
case for diagnosis (lupus vulgaris, cheilitis or perlèche?), 539
cheilitis glandularis, 132
epithelioma, treatment by dermatologist, *373
lichen planus of, 1019
Lipoid, transportation of lipoid from cells of epidermis to blood, 510
Lipomas, 673
Livedo reticularis, researches on cutis marmorata, 135
symmetrical lividities of soles, *663
Liver, acute syphilitic hepatitis, 1029
changes in functional activity of liver in syphilitic patients, 842
chronic psoriasis, arsenical hyperpigmentation, hyperkeratosis, probable arsenical hepatitis, 350
Ludy, J. B.: Acanthosis nigricans, 710
Cutaneous neuroma, 709
Lung, syphilis of, 334
Lunsford, C. J.: Morphea, 163
Lupus: See also Lupus Erythematosus; Tuberculosis
Lupus, 174
and lichen scrofulosorum, 146
case for diagnosis (lupus vulgaris, cheilitis or perlèche?), 539
development of sarcoma on, 994
disseminated, 701
epithelioma and pityriasis rosea in child of 10 years, 134
miliaris disseminatus, 144
miliaris disseminatus faciei, 530
miliary, and generalized tuberculosis of skin with sarcoid (Darier-Roussy type), 1054
treated with trichloracetic acid, 1050
Lupus Erythematosus, 178, 684, 858
and acute syphilitic iritis of scalp, 349
and epithelioma, 863
and granuloma annulare, 709
and pulmonary tuberculosis (local injections of gold preparation), 147
and sclerodactylia, 864
bullous type or Senear-Usher pemphigus, 714
chronic discoid lupus erythematosus: results of treatment with bismuth, 359
disseminatus, 1030
disseminatus and psoriasis, 1048
Lupus Erythematosus—Continued
disseminatus subacutus or erythema perstans? 845
of conjunctiva; argyria, 718
of face and lichen planus of buccal mucous membrane, 1049
of face and scalp with disseminated lupus or toxic dermatitis (gold), 1023
pathogenesis of carcinoma of lupus erythematosus origin, 835
pemphigoides, 1048
pigmentation following, 695
Senear-Usher syndrome, a variety of lupus erythematosus, *498
telangiectatic type; epithelioma (basal cell); hematoporphyrinuria, 1035
treated with bismuth locally, 890
tumidus and erythema induratum (Bazin), 991
with squamous carcinoma of ear, 851
Lymph stasis of syphilitic origin, 530
Lymph Nodes, experimental syphilis in rats; spirochetes in lymph nodes, 843
Lymphangiectases of tuberculous origin, 520
Lymphoblastoma, 883
mycosis fungoides and hemorrhagic sarcoma of Kaposi in same person, *643
Lymphogranuloma: See also Granuloma
bacteriology of lymphogranulomatosis and mycosis fungoides, 337
diagnosis of lymphogranulomatosis, 136
Hodgkin's disease, 147
Hodgkin's disease, case for diagnosis (neurodermatitis atrophicans associated with alopecia circumscripta? Hodgkin's disease? mycosis fungoides?), 537
inguinale, 130, 176, 344, 686, 703, 854, 856, 1002, 1033, 1036, 1037, 1038
inguinale, convalescent serum in, 993
inguinale (Durand-Nicolas-Favre disease); preliminary report of 3 cases in Omaha, *778
inguinale (esthiomene), 343, 698, 854
inguinale, experimental investigations of, 995
inguinale, specificity of lymphogranuloma inguinale reaction, 335
lymphogranulomatosis cutis with lesions strongly suggestive of lichen nitidus, 1054
Lyons, M. A.: Cholesterol and lecithin studies in syphilis; cholesterol partition in relation to Wassermann reaction, *383

MacBryde, C. M.: Meningitis and dermatitis caused by new variety of blastomycete (endomycete), *49
McCarthy, F. P.: Hidrosadenitis, 1026
Kyrle's disease, 1022
McCarthy, L.: Creeping eruption due to Ankylostoma braziliense, *490
McCown, I. A.: Report of case, 518
Macdonald, W. J.: Dermatitis artefacta sporotrichosis, 1023
MacKee, G. M.: Dermatitis artefacta, 1044
Moniliasis, 534
Paget's disease, 514
Pemphigus, 531
Psoriasis pustulosa, 1045
Macroglossia: See under Tongue
Madden, J. F.: Acne varioliformis, 356
Case for diagnosis, 358
Chronic discoid lupus erythematosus; results of treatment with bismuth, 359
Fibroma molluscum gravidarum and von Recklinghausen's disease, 357
Papulonecrotic tuberculid, 354
Pseudo-epitheliomatous hyperplasia (of White and Weidman) at border of stasic ulcer, 357
Tertiary spyhilis; juxta-articular nodules associated with multiple nodulo-ulcerative lesions, 355
Thrombo-angiitis obliterans, 356
Trichophytosis, 358
Malaria, final destiny of syphilitic patients treated with malaria, 136
therapeutic malaria, 335

Maloney, E. R.: Generalized tuberculosis of skin with sarcoid (Darier-Roussy type) and miliary lupus, 1054
Parapsoriasis lichenoides, 528
Markley, A. J.: Tularemia, a disease of increasing dermatologic importance, *666
Melanoderma: See Pigmentation
Melanoma, 887
basal cell epitheliomas with excessive pigment formation, relation to melanomas, *277
metastatic melanomas of skin following enucleation of left eye for sarcoma of choroid, 864
nonpigmented, 1016
studies, simple technique for Dopa reaction, 986
Melanosarcoma, case with multiple metastases including involvement of buccal mucosa, 993
Meningitis and dermatitis caused by new variety of blastomycete (endomycete), *49
secondary syphilis (syphilitic meningitis), 1032
Menstruation, changes in reactivity of skin dependent on menstrual cycle, 998
effect of menstruation on incidence of dementia paralytica, *568
Mercurochrome, hypersensitivity to mercurochrome shown by patch test, *408, 833
Mercury, arterial embolism following injection of mercury, 344
cutaneous hypersensitivity to mercury from tattooing, report of case, *292
inunctions in treatment of syphilis: excretion of mercury following use of mild mercurous chloride inunctions; mode of absorption of mercury from skin, *1
Metabolism, energy metabolism in skin diseases, 993
Metasyphilis: See Syphilis, congenital
Michael, J. C.: Keratoderma disseminatum palmaris et plantaris, mode of inheritance, *78
Michelson, H. E.: Fungus infection of mouth and skin, 1018
Keratosis follicularis, 1018
Nodular subepidermal fibrosis, *812
Nonpigmented melanoma, 1016
Microorganisms, self-sterilizing powers of skin; effect of drugs and hormones, *756
Milia, congenital ectodermal defect with milia, 1017
folliculitis ulerythematosa reticulata or congenital milia?, 1004
Miller, T. H.: Fox-Fordyce disease, 1009
Mines, occurrence of boils among men working in coal mines, 130
Mintzer, I.: Keratosis follicularis, Darier, 531
Poikiloderma atrophicans vasculare, 1047
Miskjian, H. G.: Bullous purpura, 342
Mitchell, J. H.: Epidermolysis bullosa congenita, 169
Lupus vulgaris, 174
Streptococcic ulcer of leg, 1042
Mogil, I.: Drug eruption (phenolphthalein), 364
Erythema perstans, 159
Molds: See Fungus
Moles: See Nevus
Mongolian spot, 346
Monilethrix, 680
Moniliasis, 534
Monosporosis, experimental monosporosis, *100
Montgomery, D. W.: Treatment of spider nevus, *971
Montgomery, H.: Exfoliative dermatosis and malignant erythroderma; value and limitations of histopathologic studies, *253
Morginson, W.: A case for diagnosis, 884
Moritz, A. R.: Experimental monosporosis, *100
Morphea: See also Scleroderma
Morphea, 163
Morse, J. L.: Bullous eruption, 872
Morvan's disease; syringomyelia, 519
Mossy foot, a condition superficially resembling mossy foot, in a native of Sudan, 987
Mouth, bismuth pigmentation on buccal mucosa, 695
Mouth—Continued
cancer of skin and buccal cavity, prevention of, 835
cancer, radiologic treatment of malignant growths in buccal cavity, 341
carcinoma, 507, 672
fungus infection of mouth and skin, 1018
lupus erythematosus of face and lichen planus of buccal mucous membrane, 1049
Mucoid degeneration, case for diagnosis (colloid or mucoid degeneration? lichenoid sarcoid?), 533
Mucous membranes, involvement of, in Darier's disease, 995
Muskatblit, E.: Influence of grenz rays on pathogenic fungi in skin material, *953
Trichophytin test; report of 350 cases, *739
Mutscheller, A.: Dosage of skin therapy expressed in international roentgen units, *670
Mycosis: See also Actinomycosis; Blastomycosis
dermatophytid and dermatophytosis, 142
epidermomycosis at University of California, *12
experimental monosporosis, *100
fungoides, 541
fungoides, "a tumeur d'emblée solitaire;" report of a case, *807
fungoides, bacteriology of lymphogranulomatosis and and mycosis fungoides, 337
fungoides, case for diagnosis (neurodermatitis atrophicans associated with alopecia circumscripta? Hodgkin's disease? mycosis fungoides?), 537
fungoides; erythème annulaire circinée [Darier] or premycosis fungoides, 886
fungoides in mother and in daughter, *232
fungoides, lymphoblastoma (mycosis fungoides) and hemorrhagic sarcoma of Kaposi in same person, *643
fungoides, report of case with autopsy, *631
trichophytin test; report of 350 cases, *739
Myelosis, leukemic myelosis associated with specific nodules in skin; report of case and review of literature, *725
Myositis gummosa of sternocleidomastoid muscle, 995

Nadler, A. G.: Sporotrichosis? leukemia?, 526
Nails, dystrophy of, 348, 359
dystrophy of finger-nails and toe-nails (spoon nails), 1011
lichen planus involving nails, 360
onychodystrophia; congenital syphilis, 525
onychomycosis universalis; trichophytosis including onychomycosis universalis simulating tinea imbricata, report of unusually extensive case, *607
sulphur content of hair and of nails in abnormal states; therapeutic value of hydrolyzed wool, *584
treatment of diseases of nails, 336
Neoarsphenamine: See Arsphenamine
Nerve, phrenic; alopecia of beard following phrenicectomy, 834
Nervous System, Syphilis: See Syphilis
Netherton, E. W.: Case for diagnosis, 702
Disseminated lupus vulgaris, 701
Neurocytoblastoma or ganglioneuroma, 846
Neurodermatitis, case for diagnosis (neurodermatitis atrophicans associated with alopecia circumscripta? Hodgkin's disease? mycosis fungoides?), 537
demarcation of neurodermatitis from chronic eczema on ground of constitutional considerations, 996
Neurofibromatosis: Recklinghausen's disease, 992
and adenoma sebaceum (Pringle); occurrence in mother and two daughters, 879
and fibroma molluscum gravidarum, 357
and pulmonary tuberculosis, 145
in children; report of case presenting pigmentation and bone changes, 989
multiple fibromas, *421
of bladder, 676
Neuroma, cutaneous neuroma, 709
Neurosyphilis: See Syphilis

Nevo-epithelioma adenoides (cylindroma) of scalp, *481
Nevus flammeus, 538
histologic study of blood tumor-like lesion of nevoid origin presenting structure of hemangio-endothelioma, 335
multiple disseminated hairy and pigmented nevi, 515
pigmentosus; outbreak of innumerable lesions following excision of a large single lesion, 694
reticularis et pigmentosus, 141
skin nevi as a source of anthropologic knowledge, 838
spider, treatment of, *971
trichosebaceous cystic nevus (steatocystoma multiplex, Pringle), 135
unius lateris, 886
New-born, bromoderma of new-born: experimental cutaneous reactions, 134
induration of skin in new-born, 334
subcutaneous fat necrosis of new-born; report of 5 cases, *237
Newman, B.: Ainhum; report of case with roentgenologic findings and review of literature, *783
Nicolas-Favre's Disease: See Lymphogranuloma inguinale
Niles, H. D.: Roentgen rays in treatment of acne; evidence that they do not produce scarring, *89
Nipple; Paget's disease of breast, 514
Nocardiosis cutis gangrenosa, *224
Nomland, R.: Lupus erythematosus (telangiectatic type); epithelioma (basal cell); hematoporphyrinuria, 1035
Lupus vulgaris, 174
Pemphigus or pityriasis rosea, 168
Pseudoxanthoma elasticum of skin; angioid streaks of retina; old chorioretinitis, 849
North, H. U.: Acanthosis nigricans, 710
Infectious granuloma with probably beginning neoplastic properties, 352
Nose, leprosy of ear, nose and throat. 676
papulonecrotic tuberculid with perforated nasal septum, 513

Obermayer, M. E.: Eczema due to hypersensitiveness to rubber, *25
OBITUARY:
Bruno Bloch, 980, 983
Occupational Diseases: See Industrial Diseases
Ochs, B.: Acne keloid, 157
Parapsoriasis en plaques (Brocq), 157
Oidiomycosis, immune reactions in human and animal oidiomycosis of skin, 838
O'Leary, P. A.: Ganglioneuroma or neurocytoblastoma, 846
Oliver, E. A.: Case for diagnosis, 165
Granuloma fungoides, 848
Oculoglandular tularemia, 171
Onychia; Onychomycosis: See under Nails
Orchitis, erythema multiforme; arthritis; bilateral orchitis; endocarditis; rôle of enterococcus, 991
Oriental Sore: See Leishmaniasis
Ormsby, O. S.: Erythema perstans? Lupus erythematosus disseminatus subacutus? 845
Lymphoblastic erythroderma, 1034
Mycosis fungoides; report of case with autopsy, *631
Physical allergy, 171
Orthoform, sensitization by orthoform; also note on question of sensitization of controls by passive transfer, 838
Oulmann, L.: Nodular syphilid of face, 881
Ouspensky, B.: Influence of grenz rays on pathogenic fungi in skin material, *953
Oxygenaire, dermatitis from oxygenaire, *951

Pace, E. R.: Lichen planus (bullous?), 1039
Paget's disease of breast, 514
Panniculitis, relapsing febrile nonsuppurative panniculitis (Weber), *440
Papillomas, cutaneous papillomas among patent fuel workers in relation to malignant disease, 130
Papulosa nigra, dermatosis papulosa nigra, 860
Parakeratosis, eczematoid parakeratosis of Herxheimer; levurid of Ravaut, 706
Paralysis, general, diathermy in, 507
gummas of skin associated with oculomotor paralysis, 893
Parapsoriasis en plaques, 157, 853
en plaques in a mulatto, 532
en plaques, thorium X in, 682
guttate, 342
lichenoides, 528
varioliforme, case of, 134
Parathyroid hormone, experimental scleroderma due to, 840
Parkhurst, H. J.: Hyperpigmentation due to perfume, 361
Lichen planus involving nails, 360
Symmetrical lividities of soles, *663
Parounagian, M. B.: Carcinoma of tongue in a syphilitic patient, 517
Multiple steatomas, 883
Phlebitis necrotisans?, 516
Pascher, F.: Hypersensitivity to mercurochrome shown by patch test, *408
Peck, S. M.: Congenital telangiectasia, 695
Erythema induratum with bullous lesions, 140
Sensitization and desensitization in man with snake venom (ancistrodon piscivorus), *312
Pediculosis; new method for extermination of head lice, 996
Pellagra, dietary practices in relation to incidence of pellagra, study of family dietaries in Leon County, Florida, 327
improvement while taking so-called "pellagra-producing" diet, 676
Pemphigus, 531, 696
case of exfoliative dermatitis and pemphigus, 509
chronic pemphigus and diabetes, 1027
lupus erythematosus (bullous type) or Senear-Usher pemphigus, 714
ocular, 327
or pityriasis rosea, 168
results from treatment, 515
Senear-Usher type, 714, 1041
viosterol in, 330
Penis, gumma of, 890
multiple gummas of shaft of penis, 882
Perfume, hyperpigmentation due to perfume, 361
Periarteritis nodosa, 717
Perlèche, case for diagnosis (lupus vulgaris, cheilitis or perlèche?), 539
etiology and pathology, 677
Perlstein, M. O.: Esthiomene; lymphogranulomatosis inguinale, 854
Granuloma inguinale, 1037
Lymphogranulomatosis inguinale, 854, 1036, 1037, 1038
Use of extract of spleen in certain dermatoses, *963
Perspiration: See under Sweat and Sweat Glands
Pfahler, G. E.: Six cases of multiple epitheliomas and two cases of Kaposi's sarcoma, 712
Phenolphthalein eruption, 364
eruptions, fixed, *549
Phenyl-mercury-nitrate, bactericidal action of, 131
Phillips, H. T.: Case for diagnosis, 884
Phlebitis necrotisans, case for diagnosis, 516
pruritic dermatitis accompanying chronic phlebitis of leg, 335
syphilitic phlebitis? gumma? 891
Phrenicectomy, alopecia of beard following phrenicectomy, 834
Pigment wheals, skin tests by means of, 334
Pigmentation, hyperpigmentation due to perfume, 361
of gums, 718
Pillsbury, D. M.: Chrome ulcer, 149
Folliculitis ulerythematosa reticulata or congenital milia?, 1004
Gold dermatitis limited to depigmented skin with theoretical consideration of its etiology, *36
Syringoma, 716

Pinta: See under Mycosis
Pityriasis lichenoides variolaformis acuta, 540
rosae, epithelioma, lupus and pityriasis rosea in child of 10 years, 134
rosea or pemphigus, 168
versicolor, achronic (or inverse) pityriasis versicolor, 333
Poikiloderma atrophicans vasculare, 540, 705, 1047
(Civatte), 858
reticulata, 534
vasculare, 848
Pollen extracts, results of treatment of psoriasis vulgaris with plant pollen extracts, 993
Polycythemia, 161
Porokeratosis mibelli, case for diagnosis, 879
Pregnancy, herpes gestationis, 135, 1003
Protein therapy, uses of non-specific protein, therapy, 132
Proteose, urinary proteose; allergic dermatoses and eczema-asthma-hay fever complex, *745
urinary proteose in dermatoses, *316
Prurigo nodularis or hypertrophic lichen planus, 152
Pruritus, histamine in, 834
vulvae, achlorhydric anemia as cause of pruritus vulvae of so-called necrotic origin, 681
Pseudopelade, 350
of Brocq, 150
or alopecia cicatrisata, 526
two cases, 1004
Pseudoxanthoma, case for diagnosis (pseudoxanthoma elasticum Darier), 521
elasticum, 353
elasticum of skin; angioid streaks of retina; old chorioretinitis, 849
elasticum; report of 5 cases illustrating its association with angioid streaks of retina, *424
Psoriasis, abnormal, 1020
and dermatitis venenata (atypical hyperkeratotic lesions), 536
and multiple superficial epithelioma, *70
chronic psoriasis, arsenical hyperpigmentation, hyperkeratosis, probable arsenical hepatitis, 350
Kyrle disease, 1022
limited to one finger-tip, 870
lupus erythematosus disseminatus and psoriasis, 1048
physiology of superficial blood-vessels in, 508
psoriasiform eruption with pustular exacerbations, *933
pustulosa, 1045
results of treatment of psoriasis vulgaris with plant pollen extracts, 993
studies of, 335
vulgaris, lichen planus simulating psoriasis vulgaris, 895
with scarring, 361
Purpura and hemochromatosis, 129
bullous, 342
lingual purpura, report of case, *605
with bullae due to gold, 333
with unusual features, 155
Pusey, W. A.: Noah Worcester, A.M., M.D., pioneer internist and dermatologist in Middle West, *825
Pyodermia, case for diagnosis, 869
chronic extensive pyodermia, 512
gangrenosum, report of case, *460
verrucous tuberculoid pyoderma, 1050

Raab, J.: Adenoma sebaceum (Pringle); Recklinghausen's disease; occurrence in mother and two daughters, 879
Radiation, cell resistance incited by radiation, 674
Radiodermatitis: See under Roentgen Rays
Radium versus radon, preliminary report, 681
Radon versus radium, preliminary report, 681
Raiziss, G. W.: Asymptomatic syphilis; effect of various drugs on Spirochaeta pallida in brains of rabbits and mice, *923
Rattner, H.: Blastomycosis, 174
Lingual purpura; report of case, *605
Raynaud's disease, etiology of, 330
Recklinghausen's Disease: See Neurofibromatosis
Rein, C. R.: Mycosis fungoides, "a tumeur d'emblée solitaire;" report of a case, *807
Retina, angioid streaks of retina; old chorioretinitis; pseudoxanthoma elasticum of skin, 849
pseudoxanthoma elasticum; report of 5 cases illustrating its association with angioid streaks of retina, *424
Robinson, L. B.: Sarcoid, 874
Roentgen Rays, dosage of skin therapy expressed in international roentgen units, *670
in treatment of acne: evidence that they do not produce scarring, *89
irritant action on protected eyes of roentgen and ultraviolet rays directed to distant parts of body, 336
Lenard or cathode "ray" dermatitis, *579
new prosthesis to prevent lesions of eyes by roentgen rays, 996
treatment of inflammatory conditions by radiation, 133
Ronchese, F.: Lymphangiectases of tuberculous origin, 520
Multiple benign epithelioma of scalp (turban tumors), 521
Pseudoxanthoma elasticum Darier, 521
Rosen, I.: Cholesterol and lecithin studies in syphilis; cholesterol partition in relation to Wassermann reaction, *383
Lupus erythematosus, 858
Lupus erythematosus and epithelioma, 863
Multiple gummas of shaft of penis, 882
Rosenthal, T.: Case for diagnosis, 161
Papulonecrotic tuberculid, 366
Secondary syphilis, 162
Tertiary syphilis, 159
Rostenberg, A.: Gummas of skin associated with oculomotor paralysis, 893
Ulcus durum, 683
Rubber, eczema due to hypersensitiveness to, *25
Rule, A. M.: Hot baths in experimental primary syphilis of rabbits and in trypanosomiasis of rats, *660
Rulison, R. H.: Lupus vulgaris treated with trichloracetic acid, 1050
Ryan, V. J.: Kaposi's sarcoma, 519
Psoriasiform late syphilid, 523
Squamous cell carcinoma of scalp, 522
Syringomyelia or Morvan's disease, 519

Salt, ioderma following use of iodinized table salt, 1054
value of equilibrated salt diet in treatment of various dermatoses; modification of Herrmannsdorfer-Sauerbruch-Gerson diets, 329
Sarcoid, 874, 877
Boeck's diffuse type, and papulonecrotic tubercle, 698
case for diagnosis (colloid or mucoid degeneration? lichenoid sarcoid?), 533
Darier-Roussy sarcoid, 701
generalized tuberculosis of skin with sarcoid (Darier-Roussy type) and miliary lupus, 1054
lichenoid, 857
multiple sarcoid-like lesions of skin, 343
or leprosy, 171
report of unusual case of disseminate type, *821
Sarcoma, 362
case for diagnosis, 536
development on lupus vulgaris, 994
hemorrhagic, of Kaposi, 364

Sarcoma—Continued
Kaposi's, 519, 692
Kaposi's; multiple idiopathic hemorrhagic sarcoma of Kaposi, 527, 851
Kaposi's, 2 cases, 712
large round cell sarcoma of tongue, 1032
lymphoblastoma (mycosis fungoides) and hemorrhagic sarcoma of Kaposi in same person, *643
metastatic melanomas of skin following enucleation of left eye for sarcoma of choroid, 864
Satenstein, D.: Lichenoid sarcoid?, 857
Sauerbruck Diet: See Skin diseases; Tuberculosis, Skin
Saunders, W. G.: Acrodynia or epidermolysis bullosa?, 1011
Psoriasis with scarring, 361
Sawyer, C. W.: Alopecia cicatrisata or pseudopelade, 526
Sayer, A.: Erythema multiforme bullosum, 892
Keratoderma blennorrhagicum, 894
Scalp, cutis verticis gyrata; report of case, *392
multiple benign epithelioma of scalp (turban tumors), 521
nevo-epithelioma adenoides (cylindroma) of scalp, *481
squamous cell carcinoma of scalp, 522
Scar: See Cicatrix
Scarlet fever, multiple gangrene of skin following scarlet fever, 1019
Schamberg, J. F.: Fatality after intramuscular injection of bismuth in man sensitive to arsenobenzenes, *969
Schamberg's disease, 173, 542
Scheer, M.: Case for diagnosis, 876
Erythema multiforme, 881
Gumma of tongue, 883
Lichen nitidus, 864
Schildkraut, J. M.: Acanthosis nigricans, 710
Granuloma annulare, 147
Schiller, A. E.: Acrodynia or epidermolysis bullosa, 1011
Lichen planus sclerosus et atrophicus, 1013
Seborrheic dermatitis, 362
Schoff, C. E.: Case for diagnosis, 162
Scholtz, M.: Pityriasis lichenoides variolaformis, acuta, 540
Schamberg's disease, 542
Schreiber, N. E.: Mercurial inunctions in treatment of syphilis; excretion of mercury following use of mild mercurous chloride inunctions; mode of absorption of mercury from skin, *1
Schwartz, H. J.: Acanthosis nigricans, 528
Localized dermatitis exfoliativa (arsphenamine), 1051
Multiple benign cystic epithelioma, 1051
Sciarra, serum reaction of Sciarra in diagnosis, prognosis and treatment of syphilis, 835
Sclerema: See Scleroderma
Sclerodactylia, 155
and lupus erythematosus, 864
Scleroderma, 148, 524
adultorum (Buschke), 129
circumscripta, 524, 711
en plaques associated with atrophia cutis, 533
experimental, due to parathyroid hormone, 840
from areas of vitiligo, 528
lichenoides, 532
pancreas, treatment of, 880
sclereme neonatorum, 352
treatment of skin diseases, particularly scleroderma, by means of fumigation with iodine, 682
with cartilaginous tumors, 1010
zostiform, 711
Scrofuloderma: See Tuberculosis, Skin
Senear, F. E.: Acrodermatosis chronica atrophicans, 169
Blastomycosis, 174
Lymphogranuloma inguinale, 1037
Multiple idiopathic hemorrhagic (Kaposi) sarcoma, 851
Parapsoriasis en plaques, 853
Senear-Usher syndrome, 1001
syndrome, a variety of lupus erythematosus, *498
type of pemphigus, 1041
Severac, M.: Asymptomatic syphilis; effect of various drugs on Spirochaeta pallida in brains of rabbits and mice, *923
Shaffer, L. W.: Alopecia totalis treated with anterior lobe pituitary preparation, 1007
Sharlit, H.: Herpes zoster (gangrenous) with varicelliform eruption, 695
Pigmentation following lupus erythematosus, 695
Tinea sycosis of eyebrow, 139
Shaw, H.: Large round cell sarcoma of tongue, 1032
Lupus erythematosus disseminatus, 1030
Shivers, G. C.: Pulmonary embolism from arsenicals injected intravenously; method suggested for prevention, *901
Sidlick, D. M.: Disseminated tuberculosis of skin, 1000
Silver, H.: Juvenile dementia paralytica, 365
Purpura with unusual features, 155
Silverberg, M. G.: Hypersensitivity to mercurochrome shown by patch test, *408
Skin, biologic properties of skin; possibility of transmitting these properties from animal to animal by means of cutaneous transplantations, 135
cancer of skin and buccal cavity, prevention of, 835
changes in reactivity of skin dependent on menstrual cycle, 998
diseases and hyperglycemia, *198, 330
diseases, diathermy in, 998
diseases, energy metabolism in, 993
diseases, some nonspecific dermatoses; their responses to spleen extract, *956
diseases, use of extract of spleen in certain dermatoses, *963
diseases, value of equilibrated salt diet in treatment of various dermatoses; modification of Hermannsdorfer-Sauerbruch-Gerson diets, 329
dosage of skin therapy expressed in international roentgen units, *670
histology of skin of infants, with special reference to connective tissue and fat, 840
induration of skin in new-born, 334
influence of calcium, atophan, and vigantol on irritability of skin, 137
leukemic myelosis associated with specific nodules in skin; report of case and review of literature, *725
occupational diseases of skin in wire drawers, 842
reactions; skin tests by means of pigment wheals, 334
self-sterilizing powers of skin; effect of drugs and hormones, *756
tests by means of pigment wheals, 334
Skolnik, E. A.: Dermatitis medicamentosa (bismuth), 1040
Snake venom, sensitization and desensitization in man with snake venom (ancistrodon piscivorus), *312
Societies, foreign, directory of, 182, 370, 546, 722, 898, 1056
local, directory of, 183, 371, 547, 723, 899, 1057
national, directory of, 182, 370, 546, 722, 898, 1056
sectional, directory of, 182, 370, 546, 722, 898, 1056
state, directory of, 183, 371, 547, 723, 899, 1057
Society Transactions:
Atlantic Dermatological Conference, 705
Bronx Dermatological Society, 155, 362, 885
Brooklyn Dermatological Society, 153
Central States Dermatological Association, 1006
Chicago Dermatological Society, 165, 845, 1034
Cleveland Dermatological Society, 175, 342, 698, 1027
Detroit Dermatological Society, 359

Society Transactions—Continued
Los Angeles Dermatological Society, 538, 1020
Manhattan Dermatologic Society, 513, 881
Minnesota Dermatological Society, 353, 1015
New England Dermatological Society, 519, 1022
New York Academy of Medicine, Section on Dermatology and Syphilis, 138, 683, 857
New York Dermatological Society, 528, 1044
Philadelphia Dermatological Society, 147, 348, 1000
Pittsburgh Dermatological Society, 696, 883
San Francisco Dermatological Association, 162, 345
Sodium dehydrocholate in arsphenamine poisoning, preliminary report, *401
thiosulphate and arsenic resistance; studies in chemotherapy, 988
Sollmann, T.: Mercurial inunctions in treatment of syphilis; excretion of mercury following use of mild mercurous chloride inunctions; mode of absorption of mercury from skin, *1
Soy bean (vegetable) milk in infant feeding, 985
Spiegel, L.: Syphilis (reinfection), 866
Spinner, G. J.: Granuloma annulare, 891
Lupus erythematosus treated with bismuth locally, 890
Spirochaeta Pallida, asymptomatic syphilis; effect of various drugs on Spirochaeta pallida in brains of rabbits and mice, *923
spirochetosis of dental anlage in congenital syphilis, 986
studies on physiological effects of fever temperatures; effect of repeated short wave (30 meter) fevers on growth and fertility in rabbits; thermal death time of Spirochaeta pallida in vitro with special reference to fever temperatures; healing of experimental syphilis lesions in rabbits by short wave fevers, 677
Spirochetoses, immunologic studies of spirochetoses; study of intravenous reinfection; reaction of region of primary cutaneous inoculation after intravenous reinfection in frambesia, 843
of dental anlage in congenital syphilis, 986
Spleen extract, use of, in certain dermatoses, *963
extract; some nonspecific dermatoses and their responses to spleen extract, *956
Sporotrichosis, 526
Staphylococcus aureus, dissociation and its relation to infection and to immunity, 131
Steatomas, multiple, 883
Stillians, A. W.: Dermatitis repens, 166
Nevo-epithelioma adenoides (cylindroma) of scalp, *481
Poikiloderma vasculare, 848
Stokes, J. H.: Acute syphilitic iritis and lupus erythematosus of scalp, 349
Case for diagnosis: ichthyosis hypothyroidism or acrodermatitis chronica atrophicans, 349
Chronic psoriasis, arsenical hyperpigmentation, hyperkeratosis, probable arsenical hepatitis, 350
Dermatitis herpetiformis and herpes gestationis, 1003
Eczematoid parakeratosis of Herxheimer; Levurid of Ravaut, 706
Erythema induratum, granuloma annulare or papulonecrotic tuberculids, 1005
Hypertrophic lichen planus or prurigo nodularis, 152
Lymphogranulomatosis inguinalis, 1002
Multiple xanthomas, 152
Pseudopelade, 350
Stomach, acidity; achlorhydric anemia as cause of pruritus vulvae of so-called neurotic origin, 681
Stratton, E. K.: Cutis verticis gyrata; report of case, *392
Strauss, A.: Case for diagnosis, 348
Chronic tuberculosis of skin, 720
Granuloma annulare, 708, 1002
Streptococcic ulcer of leg, 1042
Strophulus, dietetic treatment of constitutional infantile eczema and of strophulus, 996
Stroud, C. M.: Pyodermia gangrenosum; report of case, *460
Sulphur content of hair and of nails in abnormal states; therapeutic value of hydrolyzed wool, *584
rôle of sulfur in dermatology, 329
volatile sulphide in ointment form, *658
Sulzberger, M. B.: Drug eruptions; fixed phenolphthalein eruptions, *549
Epidermolysis bullosa acquisita, 687
Erythroplasia of Queryat, 688
Sunshine; dermatitis solare, 346
Suprarenals, disturbances of function in children, 985
Sweat and Sweat Glands; hemorrhagic diathesis and phenomenon of "Biblical" blood sweats, 340
hidrosadenitis, 1026
local treatment of hyperhidrosis with resorcin and salicylic acid ester, 995
treatment of hidradenitis with ultraviolet rays, 137
Sweitzer, S. E.: Acrodermatitis chronica atrophicans, 1018
Congenital ectodermal defect with milia, 1017
Lichen syphiliticus, 354
Multiple gangrene of skin following scarlet fever, 1019
Pseudoxanthoma elasticum, 353
Sympathectomy, influence of periarterial sympathectomy on leukocytes; surgical procedures on sympathetic nervous system, 340
Syphilid, nodular syphilid of face, 881
psoriasiform late syphilid, 523
tertiary syphiloderm, 138
Syphilis, 363
ability of patients to pay for treatment of syphilis, 988
acute syphilitic hepatitis, 1029
and trauma with reference to Tarnowsky test, 127
and tuberculosis, 865
and yaws, 510, 987
and yaws in Calabar, southern Nigeria; analysis of 5,000 Sachs-Georgi tests, 132
antisyphilitic treatment and seroreaction of blood, 843
are there forms or stages of causative agent of syphilis other than spirochete? 336
arsenic-resistant syphilis, 1015
Arthus phenomenon; serologic study in syphilitic child with a fatal reaction to transfusion, 985
asymptomatic syphilis; effect of various drugs on Spirochaeta pallida in brains of rabbits and mice, *923
carcinoma of tongue in a syphilitic patient, 517
cardiovascular, 989
cardiovascular, diagnosis of, 989
cardiovascular, treatment of, 127, 989
case for diagnosis, 1043
changes in functional activity of liver in syphilitic patients, 842
cholesterol and lecithin studies in syphilis; cholesterol partition in relation to Wassermann reaction, *383
congenita tarda, 682
congenital, another sign of, 511
congenital, dermoluetin reaction in, 339
congenital, hook needle foot sign of, 136
congenital; interstitial keratitis in late congenital syphilis, 990
congenital; nodular enlargement of articulations of fingers and their frequency in congenital syphilis, 836
congenital; onychodystrophia, 525
congenital, results of early treatment, 675
congenital; treatment of severe types with bismuth, 991
diabetes of syphilitic origin, 506
diagnosis by means of desiccated and defibrinated drop of blood, 990
diathermy in treatment of Wassermann-fast syphilis, *507

Syphilis—Continued
experimental; hot baths in experimental primary syphilis of rabbits and in trypanosomiasis of rats, *660
experimental, in rats; spirochete content in regional lymph nodes of syphilitic rats, 843
experimental, in rats; spirochetes in iliac lymph nodes after inoculation with syphilitic virus in different locations, 843
experimental observations on cross-inoculations with heterologous strains of syphilitic virus, 988
final destiny of syphilitic patients treated with malaria, 136
heredosyphilis, 700
immunologic studies of asymptomatic syphilis of white mouse, 839
importance of spinal fluid findings in pathology of latent and congenital syphilis, 681
incidence of syphilis in private practice among Negroes, 128
late cutaneous syphilis, granuloma or annulare, 524
late secondary syphilis, 176
light and autoblood therapy in late syphilis, with particular reference to tabes, 993
lymph stasis of syphilitic origin, 530
new phase in early syphilis, 507
of lung, 334
or leprosy, 689
persistently positive blood reactions in treated syphilis, 990
physiological effects of fever temperatures; effect of repeated short wave (30 meter) fevers on growth and fertility of rabbits; thermal death time of Spirochaeta pallida in vitro with special reference to fever temperatures; healing of experimental syphilis lesions in rabbits by short wave fevers, 677
psoriasiform syphilis, 541
reinfection, 866
resistant syphilis and sulphur compounds, 338
secondary syphilis, 162
secondary syphilis; case of reinfection, 1024
secondary syphilis (syphilitic meningitis), 1032
serum reaction of Sciarra in diagnosis, prognosis and treatment of syphilis, 835
sudden death and syphilis, 506
superficial tertiary syphilitic infiltration of skin, 336
syphilitic phlebitis or gumma? 891
tertiary syphilis, 159, 697, 880
tertiary syphilis: juxta-articular nodules associated with multiple nodulo-ulcerative lesions, 355
transmission of syphilis by blood transfusion, 834
treatment; anionic bismuth therapy in neurosyphilis, 128
treatment by mercurial inunctions; excretion of mercury following use of mild mercurous chloride inunctions; mode of absorption of mercury from skin, *1
treatment, maximal, of primary and secondary syphilis, 682
treatment; studies in chemotherapy; sodium thiosulphate and arsenic resistance, 988
treatment; twenty years of syphilis under salvarsan, 679
Wassermann, Kahn and Hinton tests, effect of ingestion of alcohol on, 129
Wassermann reaction; cholesterol and lecithin studies in syphilis; cholesterol partition in relation to Wassermann reaction, *383
xanthoma multiplex and prenatal syphilis, 348
Syphiloderm: See Syphilid
Syphiloma: See Gumma
Syringocystoma, 174
Syringoma, 716
Syringomyelia or Morvan's disease, 519

Tabes dorsalis, 347
clinical observations on tabetic arthropathies, 506

Tabes dorsalis—Continued
light and autoblood therapy in late syphilis, with particular reference to tabes, 993
Tar, cutaneous papillomas among patent fuel workers in relation to malignant disease, 130
in cigarette smoke and its effects, 675
occupational dermatoses in a tar paper factory, 840
tobacco tar; experimental investigation of its alleged carcinogenic action, 674
Tarnowsky test, syphilis and trauma with reference to Tarnowsky test, 127
Tattoo, chemical tattoo, 529
cutaneous hypersensitivity to mercury from tattooing, report of case, *292
Tauber, E. B.: Hyperglycemia in diseases of skin, *198
Systemic phase of tuberculosis cutis, *295
Taussig, L. R.: Mongolian spot, 346
Senear-Usher syndrome, a variety of lupus erythematosus, *498
Teeth, spirochetosis of dental anlage in congenital syphilis, 986
Telangiectasia, congenital telangiectasia, 695
Templeton, H. J.: Dermatitis solare, 346
Epidermomycosis at University of California, *12
Xerostomia, 345
Thallium, can thallium replace roentgen treatment in fungus infection of scalp in children? 511
Thompson, E. I.: Meningitis and dermatitis caused by new variety of blastomycete (endomycete), *49
Thorium X in parapsoriasis en plaques, 682
Thornley, J. P.: Comparison of neoarsphenamine and arsphenamine; results and reactions in 999 patients under treatment or observation not less than 6 months, *185
Throat, leprosy of ear, nose and throat, 676
Thrombo-angiitis obliterans, 356
obliterans among women, 676
Throne, B.: Lupus erythematosus of face and lichen planus of buccal mucous membrane, 1049
Thyroid case for diagnosis: ichthyosis, hypothyroidism or acrodermatitis chronica atrophicans, 349
alopecia associated with hypothyroidism in child, 330
Thyroidectomy, dermatitis herpetiformis appearing 3 weeks after thyroidectomy, 537
Tinea capitis in an adult with scar-producing alopecia, 543
imbricata; trichophytosis including onychomycosis universalis simulating tinea imbricata, report of unusually extensive case, *607
sycosis of eyebrow, 139
Tobacco tar, experimental investigation of its alleged carcinogenic action, 674
"Toilet-seat dermatitis" produced by a red stain; possibility of a sudan stain as causative factor, *976
Tomlinson, C. C.: Lymphogranuloma inguinale (Durand-Nicolas-Favre disease); preliminary report of 3 cases in Omaha, *778
Tongue, actinomycosis of, primary, 329
carcinoma of mouth and tongue, 507
carcinoma of tongue in a syphilitic patient, 517
gumma of tongue, 883
large round cell sarcoma of tongue, 1032
localized amyloidosis with macroglossia, 338
purpura, report of case, *605
syndrome of anemia, glossitis and dysphagia; report of 8 cases with reference to observations at autopsy in 1 instance, 676
Torulosis, cutaneous torulosis in monkey, 720
Traub, E. F.: Bowen's precancerous dermatosis, 1052
Erythema figuratum perstans, 685
Lupus erythematosus (bullous type) or Senear-Usher pemphigus, 714
Lupus miliaris disseminatus faciei, 530

Traub, E. F.—Continued
Poikiloderma [Civatte], 858
Poikiloderma reticulata, 534
Treponema pallidum: See Spirochaeta Pallida
Trichobasalioma cysticum annulare, 510
Trichophytin, further experiences with, 329
test, report of 350 cases, *739
Trichophytosis, 358
including onychomycosis universalis, simulating tinea imbricata; report of a unusually extensive case, *607
trichophytid of hands, *973
Trichostasis Spinulosa: See under Hair
Trypanosomiasis, hot baths in experimental primary syphilis of rabbits and in trypanosomiasis of rats, *660
Tubercle Bacilli, culture of tubercle bacilli from circulating blood by Löwenstein's method and simultaneous tissue culture in tuberculosis of skin, 681
isolation and differentiation of tubercle bacilli on Bordet-Gengou and Löwenstein mediums, 678
results of examination of blood for tubercle bacilli by Löwenstein's culture method, 679
Tubercle of Carabelli in mother and 3 children, 1006
Tuberculids: See under Tuberculosis, Skin
Tuberculin, chemical composition of active principle of tuberculin; local cutaneous sensitization (Arthus' phenomenon) produced in normal rabbits and guinea-pigs by protein of tuberculin, 678
reaction and erythema nodosum, 992
results obtained from use of various tuberculin tests, 985
Tuberculosis, pulmonary, and erythema induratum, 146
pulmonary, and lupus erythematosus (local injections of gold preparation), 147
pulmonary, and Recklinghausen's disease, 145
Tuberculosis, Skin (scrofuloderma), 697
and syphilis, 865
atypical tuberculous ulcers; tuberculous ulcers of scalp, 836
chronic, 720
complement-fixation reaction with tuberculosis antigen of Witebsky, Klingenstein and Kuhn in leprosy, 682
cutaneous nodulodiscoid tuberculosis of anergic type, with development into active (allergic) pulmonary tuberculosis, *766
diffuse type of sarcoid of Boeck and papulonecrotic tubercle, 698
disseminated, 1000
generalized, with sarcoid (Darier-Roussy type) and miliary lupus, 1054
Gerson-Herrmannsdorfer and Sauerbruch achlorinated diet in tuberculosis; influence of sodium chloride on experimental tuberculosis of rabbit, 991
lichen scrofulosorum and scrofuloderma, 146
of external genitalia from contact infection, 137
papulonecrotic tuberculid, 354, 366
papulonecrotic tuberculids, erythema induratum or granuloma annulare, 1005
papulonecrotic tuberculid with perforated nasal septum, 513
primary, in adult, 335
primary inoculation tuberculosis with extension along lymphatic drainage and secondary scrofuloderma, 721
systemic phase of, *295
treatment by local injections of gold compound, results and anaphylactic accidents, 333
tuberculous primary complex of skin, 994
verrucosa cutis, 148, 885
Tularemia, a disease of increasing dermatologic importance, *666
accurate and earlier diagnosis by means of intradermal reaction, 131
immunologic studies on tularemia in rabbits, 131
oculoglandular, 171
Tulipan, L.: Lichen planus linearis, 689
Red cell sedimentation test in dermatology; preliminary report, *759
Syphilis or leprosy, 689
Tumors: See also under Cancer; Sarcoma; etc.
cell resistance incited by radiation, 674
histologic study of blood tumor-like lesion of nevoid origin presenting structure of hemangio-endothelioma, 335
multiple benign tumor-like growths of Schweninger and Buzzi, 154
turban, 521
Turban tumors, 521
Turnacliff, D. D.: Case for diagnosis, 1017
Lichen planus of lip, 1019

Ulcers, atypical tuberculous ulcers; tuberculous ulcers of scalp, 836
chrome ulcer, 149
postoperative gangrenous ulcer of abdominal wall, report of case with notes on treatment, *624
pseudo-epitheliomatous hyperplasia (of White and Weidman) at border of stasic ulcer, 357
streptococcic ulcer of leg, 1042
ulcerations of skin in workers in a hide factory, 841
ulcus cruris, grenz ray treatment of, 993
ulcus cruris, insulin treatment of ulcus cruris, 340
ulcus durum, 683
ulcus vulvae acutum (Lipschütz), 136
Ultraviolet rays, irritant action on protected eyes of roentgen and ultraviolet rays directed to distant parts of body, 336
Urinary proteose; allergic dermatoses and eczema-asthma-hay fever complex, *745
proteose in dermatoses, *316
Urticaria caused by heat and cold, 992
etiology of papular urticaria (lichen urticatus), 331
Urueña, J. G.: Leprosy proteus, *450

Valade, C. K.: Case for diagnosis (multiple fibromas? osseous cysts? adenoma sebaceum?), 1006
Van Cleve, J.: Mercurial inunctions in treatment of syphilis; excretion of mercury following use of mild mercurous chloride inunctions; mode of absorption of mercury from skin, *1
Van Rhee, G.: Sarcoma, 362
Varicella: See Chickenpox
Varicose Veins, congestion dermatosis following injections into veins, 335
technic of injection into, 682
Venereal diseases, facts revealed by figures in fifteenth anniversary of great October, 999
Venom, sensitization and desensitization in man with snake venom (ancistrodon piscivorus), *312
Vero, F.: Darier's disease, 859
Scleroderma (improved under treatment with pancreas), 880
Vigantol, influence of, on irritability of skin, 137
Viosterol: See Ergosterol
Vitiligo, leukoderma centrifugum acquisitum, 881
scleroderma from areas of vitiligo, 528

Wander, W. G.: Dystrophy of finger-nails and toe-nails (spoon nails), 1011
Wassermann Reaction: See Syphilis
Way, S. C.: Relapsing febrile nonsuppurative panniculitis (Weber), *440
Wayson, J. T.: Multiple fibromas; Recklinghausen's disease, *421
Weber, L. F.: Syringocystoma, 174
Weidman, F. D.: Case for diagnosis, 717, 719
Chromoblastomycosis in Texas, *107
Cutaneous torulosis in monkey, 720
Periarteritis nodosa, 717
Pigmentation of gums, 718
Scleroderma, 148
Zosteriform scleroderma, 711

Weise, E.: Lichen planus atrophicus, 868
White, C. J.: Congenital auricular fistula (with preauricular sinus), 1035
Wien, M. S.: Acrodermatosis chronica atrophicans, 169
Case for diagnosis (sarcoid? leprosy?), 171
Esthiomene; lymphogranulomatosis inguinale, 854
Granuloma inguinale, 1037
Lymphogranuloma inguinale, 854, 1037, 1038
Multiple idiopathic hemorrhagic (Kaposi) sarcoma, 851
Use of extract of spleen in certain dermatoses, *963
Wilcox, R. S.: Late cutaneous syphilis, granuloma or annulare, 524
Scleroderma, 524
Scleroderma circumscripta, 524
Wile, U. J.: Blastomycosis, 1014
Lichen planus sclerosus et atrophicus, 1014
Williams, C. M.: Lymph stasis of syphilitic origin, 530
Trichophytid of hands, *973
Wilson, S. J.: Chromoblastomycosis in Texas, *107
Wire drawers, occupational diseases of skin in wire drawers, 842
Wise, F.: Colloid or mucoid degeneration? lichenoid sarcoid, 533
Dermatitis herpetiformis appearing 3 weeks after thyroidectomy, 537
Drug eruptions; fixed phenolphthalein eruptions, *549
Keratosis follicularis, Darier, 531
Lupus erythematosus disseminatus and psoriasis, 1048
Neurodermatitis atrophicans associated with alopecia circumscripta? Hodgkin's disease? mycosis fungoides? 537
Wise, F.—Continued
Parapsoriasis en plaques in a mulatto, 532
Poikiloderma atrophicans vasculare, 1047
Scleroderma en plaques associated with atrophia cutis, 533
Scleroderma from areas of vitiligo, 528
Scleroderma lichenoides, 532
Wolf, C.: Lichen planus simulating psoriasis vulgaris, 895
Syphilitic phlebitis? Gumma? 891
Wright, C. S.: Fatality after intramuscular injection of bismuth in man sensitive to arsenobenzenes, *969
Lupus erythematosus (bullous type) or Senear-Usher pemphigus, 714
Psoriasis and multiple superficial epithelioma, *70
Scleroderma circumscripta, 711
Tubercle of Carabelli in mother and 3 children, 1006

Xanthoma multiplex, 152, 328
multiplex and prenatal syphilis, 348
of breast, 672
Xeroderma pigmentosum, 674
Xerostomia, 345

Yaws: See Frambesia
Yeast infection, case for diagnosis, 875

Zeisler, E. P.: Lupus erythematosus with squamous carcinoma of ear, 851
Lymphogranulomatosis inguinale, 856
Syphilis? 1043
Zona: See Herpes zoster
Zoster: See Herpes zoster